





Rev.	Description	Initiator	Date
15	ECO9595: Update dowel pin locations.	LTF	3/20/2012




- Notes:
1. Material: Hardened Stainless Steel and Aluminum
 2. **DO NOT EXCEED INTERFACE DEPTH, MAY CAUSE DAMAGE.**
 3. Do not disassemble transducer. Doing so could damage transducer and will void the warranty.
 4. For best accuracy transducer must be mounted to surface rigid enough to support loads without deflection.

NOTES: UNLESS OTHERWISE SPECIFIED.
DO NOT SCALE DRAWING. ALL DIMENSIONS ARE IN MILLIMETERS.



1031 Goodworth Drive, Apex, NC 27539, USA
Tel: +1.919.772.0115 Email: info@ati-ia.com
Fax: +1.919.772.8259 www.ati-ia.com
ISO 9001 Registered Company

PROPERTY OF ATI INDUSTRIAL AUTOMATION, INC. NOT TO BE REPRODUCED IN ANY MANNER EXCEPT ON ORDER OR WITH PRIOR WRITTEN AUTHORIZATION OF ATI.



DRAWN BY: B.Digeso, 3/8/00		TITLE	
CHECKED BY: D. Norton 7/15/05		Omega190 DAQ/Net Transducer	
PROJECT #	SHEET 1 OF 1	SCALE	SIZE
		1:2	B
		DRAWING NUMBER	REVISION
		9230-05-1095	15