







## Notes:

- A 4-Position terminal strip is provided on the Master and Tool for customer specific wiring.
- The Orange, Yellow, Red, and Blue 24AWG Wires are included with the module but can be removed at the discretion of the customer.
- A remotely mounted servo battery backup box is required to maintain the servo settings during periods when the tool is not in use. EF50 Tool features a 5-Pin Female M12 Connector that is compatible with ATI Servo Backup Battery Box 9005-20-2374 via an M12 5-Pin Male / Female Extension Cable. Customer is responsible for battery box cabling, cables can be supplied by ATI at customer request.



1031 Goodworth Drive, Apex, NC 27539, USA Tel: +1.919.772.0115 www.ati-ia.com Fax: +1.919.772.8259 ISO 9001 Registered Company

PROPERTY OF ATI INDUSTRIAL AUTOMATION, INC. NOT TO BE REPRODUCED IN ANY MANNER EXCEPT ON ORDER OR WITH PRIOR WRITTEN AUTHORIZATION OF ATI.

3rd ANGLE PROJECTION

DRAWN BY: A. Takla, 02/16/17 CHECKED BY: W. Berrocal, 03/01/17 F. Alonso, 03/03/17

EF50 Servo Module Customer Drawing

DRAWING NUMBER SCALE PROJECT # 170216-1 SHEET 4 OF 4 1:2 В

9630-20-EF50

REVISION 04