



MASTER MODULE 9120-S3-M








TOOL MODULE 9120-S3-T






DESCRIPTION


Initial Release


02



DATE

3/19/2020





- Module Electrical Rating: 6A / 600V See Sheet 2 for Customer Interface information
- See Sheet 3 for module wiring schematic



DO NOT SCALE DRAWING. ALL DIMENSIONS ARE IN MILLIMETERS.



1031 Goodworth Drive, Apex, NC 27539, USA www.ati-ia.com ISO 9001 Registered Company Tel: +1.919.772.0115 Fax: +1.919.772.8259

PROPERTY OF ATI INDUSTRIAL AUTOMATION, INC. NOT TO BE REPRODUCED IN ANY MANNER EXCEPT ON ORDER OR WITH PRIOR WRITTEN AUTHORIZATION OF ATI.

DRAWN BY: M. Newell, 3/6/20 3-Pin Minifast Axial Module, S3 Customer Drawing CHECKED BY: W. Berrocal, 3/6/20



-Serviceable Part V-Ring ATI PN# 4010-0000030-01

"DANGER!" - Electrical Shock Hazard


This module has a Voltage of 50V or greater, NO contact should be attempted before removing power. This especially includes separation or insertion of the mating connectors or any contact with the tool changer or its components.

3rd ANGLE PROJECTION

PROJECT # 200303-1 SHEET 1 OF 3

1:1 В

DRAWING NUMBER 9630-20-S3 REVISION 02



9120-S3-M

9120-S3-T

